

RED WINE INDUSTRY INVENTORY MODEL FOR DETERIORATING ITEMS WITH TWO-WAREHOUSE UNDER LIFO DISPATCHING POLICY

¹Amit Kumar, ²Ajay Singh Yadav, ³Dharmendra Yadav

¹Research Scholar, SRM Institute of Science and Technology, Delhi-NCR Campus, Ghaziabad, Uttar Pradesh, India.

²Department of Mathematics, SRM Institute of Science and Technology, Delhi-NCR Campus, Ghaziabad, Uttar Pradesh, India.

³Department of Mathematics, Vardhaman College, Bijnor, Uttar Pradesh, India.

Abstract

In this study, a two-warehouse inventory model for the red wine industry is presented, focusing on items that deteriorate. The model takes into account the effects of inflation and operates on the LIFO (Last In, First Out) distribution policy. The goal is to minimize the total inventory cost, including the cost of maintaining inventory and the cost of purchasing new inventory. The model assumes a constant and known demand for red wine over time, with no permitted shortages. The stock system consists of warehouse A and warehouse B, with starting stocks fixed in each case. Inventory balance equations track inventory levels at each warehouse, taking into account transfers between warehouses and customer demand. The LIFO shipping policy is implemented to determine the quantities transferred between warehouses. Inflation is factored into the model by adjusting the cost of buying new inventory. This adjustment may be based on historical inflation rates or other relevant factors. The objective function is to minimize the total inventory cost, taking into account inventory costs and inflation-adjusted purchasing costs. The model provides a framework for making decisions about stock levels and transfer rates between warehouses. By optimizing these decisions, the model aims to achieve cost savings while ensuring that demand is met without bottlenecks. The model results can serve as a guide for inventory management strategies in the red wine industry, taking into account the specific challenges presented by the spoiled nature of the product and the impact of inflation.

Keywords:- Inventory, owned warehouse, rented warehouse, ramp type demand, deteriorating items, inflation, without Shortages and LIFO dispatching policy.

1. Introduction

The red wine industry faces unique inventory management challenges due to the nature of its product, which is a spoiling item. Over time, the quality and value of red wine declines, making it crucial for businesses to effectively manage their inventory. Additionally, inflation can have a significant impact on the cost of purchasing new inventory, further complicating the decision-making process. In this study, we propose a two-storage stock model specifically designed for the red wine industry. The model takes into account the deteriorated nature of red wine and inflation and is based on the LIFO (Last In, First Out) shipping policy. The LIFO policy assumes that inventory purchased last is shipped first, reflecting typical industry storage and retrieval practices. The goal of the inventory model is to minimize the overall cost of inventory

while ensuring that customer demand is met without shortages. By optimizing inventory levels and transfer rates between warehouses, companies can realize cost savings and avoid overstocking or understocking. This results in improved profitability and customer satisfaction. To capture the effects of spoilage, the model tracks inventory levels in warehouse A and warehouse B over time. The equilibrium equations take into account customer demand, transfers between warehouses and initial inventory levels. The model dynamically adjusts stock levels based on these factors, while taking into account deterioration in the condition of red wine. Inflation is another critical factor considered in the model. The cost of purchasing new inventory is adjusted for the impact of inflation. This adjustment can be based on historical inflation rates or other relevant factors to ensure that the model provides a realistic representation of industry cost dynamics. Overall, the proposed inventory model provides a comprehensive framework for decision making in the red wine industry. By addressing the unique challenges of item spoilage, inflation, and LIFO shipping policy, businesses can optimize their inventory management strategies and increase their competitive advantage. The following sections of this study detail the details of the model, its formulation, and the potential benefits it offers to the red wine industry.

2. Assumptions and Notations:

In developing the mathematical model of the Red wine industry inventory system the following assumptions are being made:

1. A single item is considered over a prescribed
2. period T units of time.
3. The demand rate $D(t)$ at time t is deterministic and taken as a ramp type function of time i.e. $D(t) = \alpha_0 e^{-\alpha_2 \{t - (t_\alpha + t_L)\} H[t - (t_\alpha + t_L)]}$, $\alpha_0 > 0$, $\alpha_2 > 0$, where $H[t - (t_\alpha + t_L)]$ is the Heaviside's function defined as $H[t - (t_\alpha + t_L)] = \begin{cases} 0, & t < (t_\alpha + t_L) \\ 1, & t \geq (t_\alpha + t_L) \end{cases}$
4. The replenishment rate is infinite and lead-time is zero.
5. When the demand for goods is more than the supply. Shortages will occur. Customers encountering shortages will either wait for the vender to reorder (backlogging cost involved) or go to other vendors (lost sales cost involved). In this model shortages are allowed and the backlogging rate is $\exp(-\alpha_3 t)$, when Red wine industry inventory is in shortage. The backlogging parameter α_3 is a positive constant.
6. The variable rate of deterioration in both warehouse is taken as $\alpha_1(t) = \alpha_1 t$. Where $0 < \alpha_1 \ll 1$ and only applied to on hand Red wine industry inventory.
7. No replacement or repair of deteriorated items is made during a given cycle.
8. The Red wine industry owned warehouse (OW) has a fixed capacity of W units; the Red wine industry rented warehouse (RW) has unlimited capacity.
9. The goods of OW are consumed only after consuming the goods kept in RW.

In addition, the following notations are used throughout this paper:

$\Pi_{ow}^{lifo}(t)$	The Red wine industry inventory level in OW at any time t.
$\Pi_{rw}^{lifo}(t)$	The Red wine industry inventory level in RW at any time t.
α_w	The capacity of the own warehouse.
Q	The ordering quantity per cycle.
T	Planning horizon.
α_4	Inflation rate.
α_{hcow}	The holding cost per unit per unit time in Red wine industry OW.
α_{hcrw}	The holding cost per unit per unit time in Red wine industry RW.
α_{dc}	The deterioration cost per unit.
α_{sc}	The shortage cost per unit per unit time.
α_{opc}	The opportunity cost due to lost sales.
α_{OC}	The replenishment cost per order.

3. Formulation and Solution of the Model

The Red wine industry inventory levels at OW are governed by the following differential equations under LIFO dispatching policy:

$$\frac{d\Pi_{ow}^{lifo}(t)}{dt} = \left[-\alpha_1(t) I^{lifo}(t) \right] \quad 0 \leq t < (t_\alpha + t_L) \quad (1)$$

$$\frac{d\Pi_{ow}^{lifo}(t)}{dt} + \alpha_1(t) I^{lifo}(t) = -\alpha_0 e^{-\alpha_2(t_\alpha + t_L)}, \quad (t_\alpha + t_L) \leq t \leq (t_1 + t_L) \quad (2)$$

And

$$\left[\frac{d\Pi_{ow}^{lifo}(t)}{dt} \right] = \left[-\alpha_0 e^{-\alpha_2(t_\alpha + t_L)} e^{-\alpha_3 t} \right] \quad (t_1 + t_L) \leq t \leq (T + t_L) \quad (3)$$

with the boundary conditions,

$$\Pi_{ow}^{lifo}(0) = \alpha_w \text{ and } I^{lifo}(t_1 + t_L) = 0 \quad (4)$$

The solutions of equations (1), (2) and (3) are given by

$$\Pi_{ow}^{lifo}(t) = \alpha_w e^{-\alpha_1 t^2 / 2}, \quad 0 \leq t < (t_\alpha + t_L) \quad (5)$$

$$\Pi_{ow}^{lifo}(t) = \left[\alpha_0 e^{-\alpha_2(t_\alpha + t_L)} \left\{ \frac{\{(t_1 + t_L) - t\} + \frac{\alpha_1(t_1 + t_L)^3 - t^3}{6}}{\alpha_1(t_1 + t_L)^3 - t^3} \right\} e^{-\alpha_1 t^2 / 2} \right], \quad (t_\alpha + t_L) \leq t \leq (t_1 + t_L) \quad (6)$$

$$\text{And } \Pi_{ow}^{lifo}(t) = \left[\frac{\alpha_0}{\alpha_3} e^{-\alpha_2(t_\alpha + t_L)} \left\{ e^{-\alpha_3 t} - e^{-\alpha_3(t_1 + t_L)} \right\} \right] \quad (t_1 + t_L) \leq t \leq (T + t_L) \quad (7)$$

respectively.

The Red wine industry inventory level at RW is governed by the following differential equations:

$$\frac{d\Pi_{rw}^{lifo}(t)}{dt} + \alpha_1(t)I^{lifo}(t) = -\alpha_0 e^{-\alpha_2 t}, \quad 0 \leq t < (t_\alpha + t_L) \quad (8)$$

With the boundary condition $\Pi_{rw}^{lifo}(0) = 0$ the solution of the equation (8) is

$$\Pi_{rw}^{lifo}(t) = \left[\alpha_0 \left\{ \begin{aligned} & \left\{ (t_\alpha + t_L) - t \right\} - \\ & \frac{\alpha_2}{2} \left((t_\alpha + t_L)^2 - t^2 \right) + \\ & \frac{\alpha_1}{6} \left((t_1 + t_L)^3 - t^3 \right) \end{aligned} \right\} e^{-\alpha_1 t^2/2} \right] \quad (t_\alpha + t_L) \leq t \leq (t_1 + t_L) \quad (9)$$

Due to continuity of $\Pi_{ow}^{lifo}(t)$ at point $t = (t_\alpha + t_L)$ it follows from equations (5) and (6), one has

$$\alpha_w e^{-\alpha_1 (t_\alpha + t_L)^2/2} = \left[\alpha_0 e^{-\alpha_2 (t_\alpha + t_L)} \left\{ \begin{aligned} & \left\{ (t_1 + t_L) - (t_\alpha + t_L) \right\} + \\ & \frac{\alpha_1 \left\{ (t_1 + t_L)^3 - (t_\alpha + t_L)^3 \right\}}{6} \end{aligned} \right\} e^{-\alpha_1 (t_\alpha + t_L)^2/2} \right]$$

$$\alpha_w = \left[\alpha_0 e^{-\alpha_2 (t_\alpha + t_L)} \left\{ \begin{aligned} & \left\{ (t_1 + t_L) - (t_\alpha + t_L) \right\} + \\ & \frac{\alpha_1 \left\{ (t_1 + t_L)^3 - (t_\alpha + t_L)^3 \right\}}{6} \end{aligned} \right\} \right] \quad (10)$$

The total average cost consists of following elements:

- (i) Ordering cost per cycle = α_{oc} (11)
- (ii) Holding cost per cycle (C_{HO}) in OW

$$C_{HO} = \left[\alpha_{hcow} \left\{ \begin{aligned} & \int_0^{(t_\alpha + t_L)} \Pi_{ow}^{lifo}(t) e^{-\alpha_4 t} dt + \\ & \int_{(t_\alpha + t_L)}^{(t_1 + t_L)} \Pi_{ow}^{lifo}(t) e^{-\alpha_4 \{(t_\alpha + t_L) + t\}} dt \end{aligned} \right\} \right]$$

$$C_{HO} = \left[\alpha_w \left\{ \left((t_\alpha + t_L) - \frac{\alpha_4 (t_\alpha + t_L)^2}{2} - \frac{\alpha_1 (t_\alpha + t_L)^3}{6} \right) \right\} + \alpha_{hcow} \left\{ \begin{aligned} & \left(\frac{(t_1 + t_L)^2}{2} - \frac{\alpha_4 (t_1 + t_L)^3}{6} + \right. \\ & \left. \frac{\alpha_1 (t_1 + t_L)^4}{12} - \frac{\alpha_4 \alpha_1 (t_1 + t_L)^5}{20} - \right. \\ & \left. \frac{(t_\alpha + t_L)}{2} (2(t_1 + t_L) - (t_\alpha + t_L)) - \right. \\ & \left. \alpha_0 e^{-\alpha_2((t_\alpha + t_L) + \alpha_4)} \left(\frac{\alpha_1 (t_\alpha + t_L)}{24} (4(t_1 + t_L)^3 - (t_\alpha + t_L)^3) + \right. \right. \\ & \left. \left. \frac{\alpha_4 (t_\alpha + t_L)^2}{6} (3(t_1 + t_L) - 2(t_\alpha + t_L)) + \right. \right. \\ & \left. \left. \frac{\alpha_4 \alpha_1 (t_\alpha + t_L)^2}{30} (5(t_1 + t_L)^3 - 3(t_\alpha + t_L)^3) + \right. \right. \\ & \left. \left. \frac{\alpha_1 (t_\alpha + t_L)^3}{24} (4(t_1 + t_L) - 3(t_\alpha + t_L)) \right) \right\} \right] \quad (12) \end{aligned} \right.$$

(iii) Holding cost per cycle (C_{HR}) in RW

$$C_{HR} = \left[\alpha_{hcrw} \left\{ \int_0^{(t_\alpha + t_L)} \Pi_{rw}^{lifo}(t) e^{-\alpha_4 t} dt \right\} \right]$$

$$C_{HR} = \left[\alpha_{hcrw} \alpha_0 \left\{ \begin{aligned} & \left(\frac{(t_\alpha + t_L)^2}{2} - \frac{(3\alpha_2 + \alpha_4)}{6} (t_\alpha + t_L)^3 + \right. \\ & \left. \left(\frac{\alpha_1}{12} + \frac{\alpha_2 \alpha_4}{8} \right) (t_\alpha + t_L)^4 - \right. \\ & \left. \left(\frac{\alpha_4 \alpha_1}{20} - \frac{\alpha_2 \alpha_1}{30} \right) (t_\alpha + t_L)^5 \right) \right\} \right] \quad \dots (3.13) \end{aligned} \right.$$

(iv) Cost of deteriorated units per cycle (C_D)

$$= \alpha_{dc} \left\{ \begin{array}{l} \int_0^{(t_\alpha+t_L)} \alpha_1 t \Pi_{rw}^{lifo}(t) e^{-\alpha_4 t} dt + \\ \int_0^{(t_\alpha+t_L)} \alpha_1 t \Pi_{ow}^{lifo}(t) e^{-\alpha_4 t} dt + \\ \int_{(t_1+t_L)}^{(t_1+t_L)} \alpha_1 t \Pi_{ow}^{lifo}(t) e^{-\alpha_4 \{t+(t_\alpha+t_L)\}} dt \end{array} \right\} \quad (14)$$

(v) Shortage cost per cycle (Cs)

$$\begin{aligned} &= \alpha_{sc} \left[\int_{(t_1+t_L)}^{(T+t_L)} -\Pi_{ow}^{lifo}(t) e^{-\alpha_4 \{t+(t_1+t_L)\}} dt \right] \\ &= \frac{-\alpha_0 \alpha_{sc} e^{-[\alpha_4(t_1+t_L)+\alpha_2(t_\alpha+t_L)]}}{\alpha_3} \left[\int_{(t_1+t_L)}^{(T+t_L)} e^{-(\alpha_4+\alpha_3)t} dt - e^{-\alpha_3(t_1+t_L)} \int_{(t_1+t_L)}^{(T+t_L)} e^{-\alpha_4 t} dt \right] \\ &= \left[\frac{\alpha_0 \alpha_{sc} e^{-[\alpha_4(t_1+t_L)+\alpha_2(t_\alpha+t_L)]}}{\alpha_3 \alpha_4 (\alpha_3 + \alpha_4)} \left\{ \alpha_3 e^{-(\alpha_3+\alpha_4)(t_1+t_L)} + \right. \right. \\ &\quad \left. \left. e^{-\alpha_4(T+t_L)} \left\{ r e^{-\alpha_3(T+t_L)} - (\alpha_3 + \alpha_4) e^{-\alpha_3(t_1+t_L)} \right\} \right\} \right] \quad (15) \end{aligned}$$

(vi) Opportunity cost due to lost sales per cycle (C₀)

$$\begin{aligned} &= \alpha_{opc} \int_{(t_1+t_L)}^{(T+t_L)} \alpha_0 (1 - e^{-\alpha_3 t}) e^{-\alpha_2(t_\alpha+t_L)} e^{-\alpha_4 \{t+(t_1+t_L)\}} dt \\ &= \left[\frac{\alpha_{opc} \alpha_0 e^{-[\alpha_2(t_\alpha+t_L)+\alpha_4(t_1+t_L)]}}{\alpha_4 (\alpha_3 + \alpha_4)} \left\{ e^{-\alpha_4(t_1+t_L)} \left\{ (\alpha_3 + \alpha_4) - \alpha_4 e^{-\alpha_3(t_1+t_L)} \right\} - \right. \right. \\ &\quad \left. \left. e^{-\alpha_4(T+t_L)} \left\{ (\alpha_3 + \alpha_4) - \alpha_4 e^{-\alpha_3(T+t_L)} \right\} \right\} \right] \quad (16) \end{aligned}$$

Therefore, the total average cost per unit time of our model is obtained as follows

$$TC\left(\frac{t_1+t_L}{T+t_L}\right) = \frac{1}{(T+t_L)} \left[\begin{array}{l} \text{Ordering cost + Holding cost in OW} \\ + \text{Holding cost in RW + Deterioration cost} \\ + \text{Shortage cost + Opportunity cost} \end{array} \right] = \frac{R\left(\frac{t_1+t_L}{T+t_L}\right)}{(T+t_L)} \quad (17)$$

Appendix A (18)

To minimize the total cost per unit time, the optimal values of t_1 and T can be obtained by solving the following equations simultaneously

$$\frac{\partial TC}{\partial (t_1+t_L)} = 0 \quad (19)$$

$$\text{and } \frac{\partial TC}{\partial(T+t_L)} = 0 \quad (20)$$

provided, they satisfy the following conditions

$$\text{and } \left. \begin{aligned} & \frac{\partial^2 TC}{\partial(t_1+t_L)^2} > 0, \frac{\partial^2 TC}{\partial(T+t_L)^2} > 0 \\ & \left(\frac{\partial^2 TC}{\partial(t_1+t_L)^2} \right) \left(\frac{\partial^2 TC}{\partial(T+t_L)^2} \right) - \left(\frac{\partial^2 TC}{\partial(t_1+t_L)\partial(T+t_L)} \right)^2 > 0 \end{aligned} \right\} (21)$$

The equation (3.19) is equivalent to the following equation

$$\begin{aligned}
 \frac{\partial TC}{\partial(t_1+t_L)} = & \frac{\alpha_o}{(T+t_L)} \left[\alpha_{dc} \alpha_1 e^{-\alpha_2 \left(\frac{t_\alpha+t_L}{\alpha_4} \right)} \left\{ \left((t_1+t_L) - \frac{\alpha_4(t_1+t_L)^2}{2} + \frac{\alpha_1(t_1+t_L)^3}{3} - \frac{\alpha_4 \alpha_1(t_1+t_L)^4}{4} \right) - \right. \right. \\
 & \left. \left((t_\alpha+t_L) - 3\alpha_1(t_\alpha+t_L)(t_1+t_L)^2 + \frac{\alpha_4(t_\alpha+t_L)^2}{2} + \frac{\alpha_4 \alpha_1(t_\alpha+t_L)^2(t_1+t_L)^2}{2} + \frac{\alpha_1(t_\alpha+t_L)^3}{6} \right) \right\} + \\
 & \alpha_{dc} \alpha_1 e^{-\alpha_2 \left(\frac{t_\alpha+t_L}{\alpha_4} \right)} \left\{ \left(\frac{(t_1+t_L)^2}{2} - \frac{\alpha_4(t_1+t_L)^3}{3} + \frac{\alpha_1(t_1+t_L)^4}{8} - \frac{\alpha_4 \alpha_1(t_1+t_L)^5}{6} \right) - \right. \\
 & \left. \left(\frac{(t_\alpha+t_L)^2}{2} - \frac{\alpha_1(t_\alpha+t_L)^2(t_1+t_L)^2}{4} - \frac{\alpha_4(t_\alpha+t_L)^3}{3} - \frac{\alpha_4 \alpha_1(t_\alpha+t_L)^3(t_1+t_L)^2}{6} + \frac{\alpha_1(t_\alpha+t_L)^4}{8} \right) \right\} + \\
 & \frac{\alpha_{sc} e^{-\alpha_2(t_\alpha+t_L)}}{\alpha_3 \alpha_4 (\alpha_3 + \alpha_4)} \left\{ \left(-\alpha_3(\alpha_3 + 2\alpha_4) e^{-(\alpha_3+2\alpha_4)(t_1+t_L)} - \right. \right. \\
 & \left. \left. \alpha_4^2 e^{-\alpha_4(t_1+t_L) - (\alpha_4+\alpha_3)(T+t_L)} + (\alpha_3 + \alpha_4)^2 e^{-(\alpha_4+\alpha_3)(t_1+t_L) - \alpha_4(T+t_L)} \right) \right\} + \\
 & \frac{\alpha_{opc} e^{-\alpha_2(t_\alpha+t_L)}}{\alpha_4 (\alpha_3 + \alpha_4)} \left\{ \left(-2\alpha_4(\alpha_3 + \alpha_4) e^{-2\alpha_4(t_1+t_L)} + \right. \right. \\
 & \left. \left. \alpha_4(\alpha_3 + 2\alpha_4) e^{-(\alpha_3+2\alpha_4)(t_1+t_L)} + \alpha_4 e^{-\alpha_4(t_1+t_L)} \left((\alpha_3 + \alpha_4) e^{-\alpha_4(T+t_L)} - \alpha_4 e^{-(\alpha_3+\alpha_4)(T+t_L)} \right) \right) \right\} \right] = 0
 \end{aligned}$$

(22)

Also equation (20) is equivalent to

$$\left[R - \frac{\alpha_o}{\alpha_3} \left\{ e^{-\alpha_4(T+t_L)} - e^{-(\alpha_4+\alpha_3)(T+t_L)} \right\} e^{\left\{ \begin{matrix} -\alpha_4(t_1+t_L) \\ +\alpha_2(t_\alpha+t_L) \end{matrix} \right\}} (\alpha_{sc} + \alpha_{opc}\alpha_3) \right] = 0$$

(23)

Equations (22) and (23) are highly nonlinear equations. Therefore, numerical solution of these equations can be obtained by using the software **MATLAB 7.0.1**.

4. Particular Cases: Without shortages:

When $\alpha_3 \rightarrow \infty$ (i.e., the fraction of shortages backordered is zero), we get $(T+t_L) \approx 0$. The model reduces to the case where shortages are not allowed and hence the total average cost per unit time in equation (18) becomes:

$$TC(t_1+t_L) = \frac{1}{(T+t_L)} \left[\begin{matrix} \text{Ordering cost} + \text{Holding cost} + \text{Deterioration cost} \\ + \text{Shortage cost} + \text{Opportunity cost} \end{matrix} \right] = \frac{R(t_1+t_L)}{(T+t_L)} \quad (24)$$

Appendix B (25)

The necessary condition to find the optimal solution of K (t₁) is

$$\frac{\partial TC}{\partial(t_1+t_L)} = \frac{\alpha_o}{(T+t_L)} \left[\begin{matrix} e^{-\alpha_2((t_\alpha+t_L)+\alpha_4)} \left(\begin{matrix} (t_1+t_L) - \frac{\alpha_4(t_1+t_L)^2}{2} + \frac{\alpha_1(t_1+t_L)^3}{3} \\ - \frac{\alpha_4\alpha_1(t_1+t_L)^4}{4} - (t_\alpha+t_L) - 3\alpha_1(t_\alpha+t_L)(t_1+t_L)^2 \\ + \frac{\alpha_4(t_\alpha+t_L)^2}{2} + \frac{\alpha_4\alpha_1(t_\alpha+t_L)^2(t_1+t_L)^2}{2} + \frac{\alpha_1(t_\alpha+t_L)^3}{6} \end{matrix} \right) \\ + \alpha_{dc}\alpha_1 e^{-\alpha_2((t_\alpha+t_L)+\alpha_4)} \left(\begin{matrix} \frac{(t_1+t_L)^2}{2} - \frac{\alpha_4(t_1+t_L)^3}{3} + \frac{\alpha_1(t_1+t_L)^4}{8} - \frac{\alpha_4\alpha_1(t_1+t_L)^5}{6} \\ \frac{(t_\alpha+t_L)^2}{2} - \frac{\theta(t_\alpha+t_L)^2(t_1+t_L)^2}{4} - \frac{\alpha_4(t_\alpha+t_L)^3}{3} \\ \frac{\alpha_4\alpha_1(t_\alpha+t_L)^3(t_1+t_L)^2}{6} - \frac{\alpha_1(t_\alpha+t_L)^4}{8} \end{matrix} \right) \end{matrix} \right]$$

=0
(26)

5. Numerical Illustration:

To illustrate the model numerically the following parameter values are considered.

$\alpha_1 = 0.0022 \text{ unit}, \alpha_0 = 502 \text{ units}, \alpha_2 = 0.22 \text{ unit}, \alpha_3 = 0.12 \text{ unit}, \alpha_4 = 0.052 \text{ unit}, t_\alpha = 0.2 \text{ year}$
 $\alpha_{OC} = \text{Rs. } 1002 \text{ per order}, \alpha_{hcow} = \text{Rs. } 4.02 \text{ per unit per year}, \alpha_{hcrw} = \text{Rs. } 20.0 \text{ per unit}$
 $T = 12 \text{ year}, \alpha_{sc} = \text{Rs. } 22.0 \text{ per unit per year}, \alpha_{opc} = \text{Rs. } 42.0 \text{ per unit}$

Then for the minimization of total average cost and with help of software. the optimal policy can be obtained such as: $t_1 = 0.599224 \text{ year}$, $S = 138.597235 \text{ units}$ and $TC = \text{Rs. } 758.115354 \text{ per year}$.

6. Conclusion

The two-warehouse inventory model for the red wine industry provides a valuable framework for effective inventory management, taking into account item spoilage, inflation, and LIFO (Last In, First Out). By integrating these factors into the model, companies can make informed decisions about inventory levels and transfer rates between warehouses, reducing costs and improving customer satisfaction. Deteriorating red wine condition requires careful inventory management to avoid overstocking and product obsolescence. The proposed model takes this into account by dynamically adjusting stock levels based on equilibrium equations that take into account customer demand and transfers between stocks. By optimizing these inventories, companies can minimize storage costs and reduce spoilage losses. Inflation is another critical factor that can significantly affect the cost of purchasing new inventory. By adjusting purchase costs in the model for inflation, companies can make more accurate cost calculations and ensure that model results are consistent with current economic conditions. This allows them to make cost-effective decisions while maintaining desired service levels. The LIFO shipping policy reflects typical industry storage and retrieval practices. By adopting this policy in the model, companies can ensure that inventory purchased last is shipped first, which is consistent with industry practice and minimizes potential obsolescence costs. Overall, the dual warehouse inventory model presented in this study provides a comprehensive solution to inventory management challenges in the red wine industry. By taking into account the unique characteristics of red wine, inflation, and LIFO shipping policies, companies can optimize inventory levels, reduce costs, and improve overall operational efficiency. It should be noted that the efficiency of the model can be increased by incorporating additional factors such as batch ordering, lead times and storage capacity constraints depending on the specific needs of the red wine industry. Additionally, future research could explore the integration of advanced forecasting techniques and real-time data to improve the accuracy of demand forecasting and further improve model performance.

Ultimately, by adopting and implementing the two-warehouse inventory model, considering degradation, inflation, and LIFO shipping policy, companies in the red wine industry can gain a competitive advantage, reduce costs and provide superior customer service, contributing to their long-term success in the marketplace.

References:

- [1] Yadav, A.S., Bansal, K.K., Shivani, Agarwal, S. And Vanaja, R. (2020) FIFO in Green Supply Chain Inventory Model of Electrical Components Industry With Distribution Centres Using Particle Swarm Optimization. *Advances in Mathematics: Scientific Journal*. 9 (7), 5115–5120.
- [2] Yadav, A.S., Kumar, A., Agarwal, P., Kumar, T. And Vanaja, R. (2020) LIFO in Green Supply Chain Inventory Model of Auto-Components Industry with Warehouses Using Differential Evolution. *Advances in Mathematics: Scientific Journal*, 9 no.7, 5121–5126.
- [3] Yadav, A.S., Abid, M., Bansal, S., Tyagi, S.L. And Kumar, T. (2020) FIFO & LIFO in Green Supply Chain Inventory Model of Hazardous Substance Components Industry with Storage Using Simulated Annealing. *Advances in Mathematics: Scientific Journal*, 9 no.7, 5127–5132.
- [4] Yadav, A.S., Tandon, A. and Selva, N.S. (2020) National Blood Bank Centre Supply Chain Management For Blockchain Application Using Genetic Algorithm. *International Journal of Advanced Science and Technology* Vol. 29, No. 8s, 1318-1324.
- [5] Yadav, A.S., Selva, N.S. and Tandon, A. (2020) Medicine Manufacturing Industries supply chain management for Blockchain application using artificial neural networks, *International Journal of Advanced Science and Technology* Vol. 29, No. 8s, 1294-1301.
- [6] Yadav, A.S., Ahlawat, N., Agarwal, S., Pandey, T. and Swami, A. (2020) Red Wine Industry of Supply Chain Management for Distribution Center Using Neural Networks, *Test Engraining & Management*, Volume 83 Issue: March – April, 11215 – 11222.
- [7] Yadav, A.S., Pandey, T., Ahlawat, N., Agarwal, S. and Swami, A. (2020) Rose Wine industry of Supply Chain Management for Storage using Genetic Algorithm. *Test Engraining & Management*, Volume 83 Issue: March – April, 11223 – 11230.
- [8] Yadav, A.S., Ahlawat, N., Sharma, N., Swami, A. And Navyata (2020) Healthcare Systems of Inventory Control For Blood Bank Storage With Reliability Applications Using Genetic Algorithm. *Advances in Mathematics: Scientific Journal* 9 no.7, 5133–5142.
- [9] Yadav, A.S., Dubey, R., Pandey, G., Ahlawat, N. and Swami, A. (2020) Distillery Industry Inventory Control for Storage with Wastewater Treatment & Logistics Using Particle Swarm Optimization *Test Engraining & Management* Volume 83 Issue: May – June, 15362-15370.
- [10] Yadav, A.S., Ahlawat, N., Dubey, R., Pandey, G. and Swami, A. (2020) Pulp and paper industry inventory control for Storage with wastewater treatment and Inorganic composition using genetic algorithm (ELD Problem). *Test Engraining & Management*, Volume 83 Issue: May – June, 15508-15517.
- [11] Yadav, A.S., Pandey, G., Ahlawat, N., Dubey, R. and Swami, A. (2020) Wine Industry Inventory Control for Storage with Wastewater Treatment and Pollution Load Using Ant Colony Optimization Algorithm, *Test Engraining & Management*, Volume 83 Issue: May – June, 15528-15535.

- [12] Yadav, A.S., Navyata, Sharma, N., Ahlawat, N. and Swami, A. (2020) Reliability Consideration costing method for LIFO Inventory model with chemical industry warehouse. *International Journal of Advanced Trends in Computer Science and Engineering*, Volume 9 No 1, 403-408.
- [13] Yadav, A.S., Bansal, K.K., Kumar, J. and Kumar, S. (2019) Supply Chain Inventory Model For Deteriorating Item With Warehouse & Distribution Centres Under Inflation. *International Journal of Engineering and Advanced Technology*, Volume-8, Issue-2S2, 7-13.
- [14] Yadav, A.S., Kumar, J., Malik, M. and Pandey, T. (2019) Supply Chain of Chemical Industry For Warehouse With Distribution Centres Using Artificial Bee Colony Algorithm. *International Journal of Engineering and Advanced Technology*, Volume-8, Issue-2S2, 14-19.
- [15] Yadav, A.S., Navyata, Ahlawat, N. and Pandey, T. (2019) Soft computing techniques based Hazardous Substance Storage Inventory Model for decaying Items and Inflation using Genetic Algorithm. *International Journal of Advance Research and Innovative Ideas in Education*, Volume 5 Issue 9, 1102-1112.
- [16] Yadav, A.S., Navyata, Ahlawat, N. and Pandey, T. (2019) Hazardous Substance Storage Inventory Model for decaying Items using Differential Evolution. *International Journal of Advance Research and Innovative Ideas in Education*, Volume 5 Issue 9, 1113-1122.
- [17] Yadav, A.S., Navyata, Ahlawat, N. and Pandey, T. (2019) Probabilistic inventory model based Hazardous Substance Storage for decaying Items and Inflation using Particle Swarm Optimization. *International Journal of Advance Research and Innovative Ideas in Education*, Volume 5 Issue 9, 1123-1133.
- [18] Yadav, A.S., Navyata, Ahlawat, N. and Pandey, T. (2019) Reliability Consideration based Hazardous Substance Storage Inventory Model for decaying Items using Simulated Annealing. *International Journal of Advance Research and Innovative Ideas in Education*, Volume 5 Issue 9, 1134-1143.
- [19] Yadav, A.S., Swami, A. and Kher, G. (2019) Blood bank supply chain inventory model for blood collection sites and hospital using genetic algorithm. *Selforganizology*, Volume 6 No.(3-4), 13-23.
- [20] Yadav, A.S., Swami, A. and Ahlawat, N. (2018) A Green supply chain management of Auto industry for inventory model with distribution centers using Particle Swarm Optimization. *Selforganizology*, Volume 5 No. (3-4)
- [21] Yadav, A.S., Ahlawat, N., and Sharma, S. (2018) Hybrid Techniques of Genetic Algorithm for inventory of Auto industry model for deteriorating items with two warehouses. *International Journal of Trend in Scientific Research and Development*, Volume 2 Issue 5, 58-65.
- [22] Yadav, A.S., Swami, A. and Gupta, C.B. (2018) A Supply Chain Management of Pharmaceutical For Deteriorating Items Using Genetic Algorithm. *International Journal for Science and Advance Research In Technology*, Volume 4 Issue 4, 2147-2153.

- [23] Yadav, A.S., Maheshwari, P., Swami, A., and Pandey, G. (2018) A supply chain management of chemical industry for deteriorating items with warehouse using genetic algorithm. *Selforganizology*, Volume 5 No.1-2, 41-51.
- [24] Yadav, A.S., Garg, A., Gupta, K. and Swami, A. (2017) Multi-objective Genetic algorithm optimization in Inventory model for deteriorating items with shortages using Supply Chain management. *IPASJ International journal of computer science*, Volume 5, Issue 6, 15-35.
- [25] Yadav, A.S., Garg, A., Swami, A. and Kher, G. (2017) A Supply Chain management in Inventory Optimization for deteriorating items with Genetic algorithm. *International Journal of Emerging Trends & Technology in Computer Science*, Volume 6, Issue 3, 335-352.
- [26] Yadav, A.S., Maheshwari, P., Garg, A., Swami, A. and Kher, G. (2017) Modeling & Analysis of Supply Chain management in Inventory Optimization for deteriorating items with Genetic algorithm and Particle Swarm optimization. *International Journal of Application or Innovation in Engineering & Management*, Volume 6, Issue 6, 86-107.
- [27] Yadav, A.S., Garg, A., Gupta, K. and Swami, A. (2017) Multi-objective Particle Swarm optimization and Genetic algorithm in Inventory model for deteriorating items with shortages using Supply Chain management. *International Journal of Application or Innovation in Engineering & Management*, Volume 6, Issue 6, 130-144.
- [28] Yadav, A.S., Swami, A. and Kher, G. (2017) Multi-Objective Genetic Algorithm Involving Green Supply Chain Management *International Journal for Science and Advance Research In Technology*, Volume 3 Issue 9, 132-138.
- [29] Yadav, A.S., Swami, A., Kher, G. (2017) Multi-Objective Particle Swarm Optimization Algorithm Involving Green Supply Chain Inventory Management. *International Journal for Science and Advance Research In Technology*, Volume 3 Issue, 240-246.
- [30] Yadav, A.S., Swami, A. and Pandey, G. (2017) Green Supply Chain Management for Warehouse with Particle Swarm Optimization Algorithm. *International Journal for Science and Advance Research in Technology*, Volume 3 Issue 10, 769-775.
- [31] Yadav, A.S., Swami, A., Kher, G. and Garg, A. (2017) Analysis of seven stages supply chain management in electronic component inventory optimization for warehouse with economic load dispatch using genetic algorithm. *Selforganizology*, 4 No.2, 18-29 .
- [32] Yadav, A.S., Maheshwari, P., Swami, A. and Garg, A. (2017) Analysis of Six Stages Supply Chain management in Inventory Optimization for warehouse with Artificial bee colony algorithm using Genetic Algorithm. *Selforganizology*, Volume 4 No.3, 41-51.
- [33] Yadav, A.S., Swami, A., Gupta, C.B. and Garg, A. (2017) Analysis of Electronic component inventory Optimization in Six Stages Supply Chain management for warehouse with ABC using genetic algorithm and PSO. *Selforganizology*, Volume 4 No.4, 52-64.
- [34] Yadav, A.S., Maheshwari, P. and Swami, A. (2016) Analysis of Genetic Algorithm and Particle Swarm Optimization for warehouse with Supply Chain management in

- Inventory control. *International Journal of Computer Applications*, Volume 145 –No.5, 10-17.
- [35] Yadav, A.S., Swami, A. and Kumar, S. (2018) Inventory of Electronic components model for deteriorating items with warehousing using Genetic Algorithm. *International Journal of Pure and Applied Mathematics*, Volume 119 No. 16, 169-177.
- [36] Yadav, A.S., Johri, M., Singh, J. and Uppal, S. (2018) Analysis of Green Supply Chain Inventory Management for Warehouse With Environmental Collaboration and Sustainability Performance Using Genetic Algorithm. *International Journal of Pure and Applied Mathematics*, Volume 118 No. 20, 155-161.
- [37] Yadav, A.S., Ahlawat, N., Swami, A. and Kher, G. (2019) Auto Industry inventory model for deteriorating items with two warehouse and Transportation Cost using Simulated Annealing Algorithms. *International Journal of Advance Research and Innovative Ideas in Education*, Volume 5, Issue 1, 24-33.
- [38] Yadav, A.S., Ahlawat, N., Swami, A. and Kher, G. (2019) A Particle Swarm Optimization based a two-storage model for deteriorating items with Transportation Cost and Advertising Cost: The Auto Industry. *International Journal of Advance Research and Innovative Ideas in Education*, Volume 5, Issue 1, 34-44.
- [39] Yadav, A.S., Ahlawat, N., and Sharma, S. (2018) A Particle Swarm Optimization for inventory of Auto industry model for two warehouses with deteriorating items. *International Journal of Trend in Scientific Research and Development*, Volume 2 Issue 5, 66-74.
- [40] Yadav, A.S., Swami, A. and Kher, G. (2018) Particle Swarm optimization of inventory model with two-warehouses. *Asian Journal of Mathematics and Computer Research*, Volume 23 No.1, 17-26.
- [41] Yadav, A.S., Maheshwari, P., Swami, A. and Kher, G. (2017) Soft Computing Optimization of Two Warehouse Inventory Model With Genetic Algorithm. *Asian Journal of Mathematics and Computer Research*, Volume 19 No.4, 214-223.
- [42] Yadav, A.S., Swami, A., Kumar, S. and Singh, R.K. (2016) Two-Warehouse Inventory Model for Deteriorating Items with Variable Holding Cost, Time-Dependent Demand and Shortages. *IOSR Journal of Mathematics*, Volume 12, Issue 2 Ver. IV, 47-53.
- [43] Yadav, A.S., Sharam, S. and Swami, A. (2016) Two Warehouse Inventory Model with Ramp Type Demand and Partial Backordering for Weibull Distribution Deterioration. *International Journal of Computer Applications*, Volume 140 –No.4, 15-25.
- [44] Yadav, A.S., Swami, A. and Singh, R.K. (2016) A two-storage model for deteriorating items with holding cost under inflation and Genetic Algorithms. *International Journal of Advanced Engineering, Management and Science*, Volume -2, Issue-4, 251-258.
- [45] Yadav, A.S., Swami, A., Kher, G. and Kumar, S. (2017) Supply Chain Inventory Model for Two Warehouses with Soft Computing Optimization. *International Journal of Applied Business and Economic Research*, Volume 15 No 4, 41-55.
- [46] Yadav, A.S., Rajesh Mishra, Kumar, S. and Yadav, S. (2016) Multi Objective Optimization for Electronic Component Inventory Model & Deteriorating Items with

- Two-warehouse using Genetic Algorithm. *International Journal of Control Theory and applications*, Volume 9 No.2, 881-892.
- [47] Yadav, A.S., Gupta, K., Garg, A. and Swami, A. (2015) A Soft computing Optimization based Two Ware-House Inventory Model for Deteriorating Items with shortages using Genetic Algorithm. *International Journal of Computer Applications*, Volume 126 – No.13, 7-16.
- [48] Yadav, A.S., Gupta, K., Garg, A. and Swami, A. (2015) A Two Warehouse Inventory Model for Deteriorating Items with Shortages under Genetic Algorithm and PSO. *International Journal of Emerging Trends & Technology in Computer Science*, Volume 4, Issue 5(2), 40-48.
- [49] Yadav, A.S. Swami, A., and Kumar, S. (2018) A supply chain Inventory Model for decaying Items with Two Ware-House and Partial ordering under Inflation. *International Journal of Pure and Applied Mathematics*, Volume 120 No 6, 3053-3088.
- [50] Yadav, A.S. Swami, A. and Kumar, S. (2018) An Inventory Model for Deteriorating Items with Two warehouses and variable holding Cost. *International Journal of Pure and Applied Mathematics*, Volume 120 No 6, 3069-3086.
- [51] Yadav, A.S., Taygi, B., Sharma, S. and Swami, A. (2017) Effect of inflation on a two-warehouse inventory model for deteriorating items with time varying demand and shortages. *International Journal Procurement Management*, Volume 10, No. 6, 761-775.
- [52] Yadav, A.S., R. P. Mahapatra, Sharma, S. and Swami, A. (2017) An Inflationary Inventory Model for Deteriorating items under Two Storage Systems. *International Journal of Economic Research*, Volume 14 No.9, 29-40.
- [53] Yadav, A.S., Sharma, S. and Swami, A. (2017) A Fuzzy Based Two-Warehouse Inventory Model For Non instantaneous Deteriorating Items With Conditionally Permissible Delay In Payment. *International Journal of Control Theory And Applications*, Volume 10 No.11, 107-123.
- [54] Yadav, A.S. and Swami, A. (2018) Integrated Supply Chain Model for Deteriorating Items With Linear Stock Dependent Demand Under Imprecise And Inflationary Environment. *International Journal Procurement Management*, Volume 11 No 6, 684-704.
- [55] Yadav, A.S. and Swami, A. (2018) A partial backlogging production-inventory lot-size model with time-varying holding cost and weibull deterioration. *International Journal Procurement Management*, Volume 11, No. 5, 639-649.
- [56] Yadav, A.S. and Swami, A. (2013) A Partial Backlogging Two-Warehouse Inventory Models For Decaying Items With Inflation. *International Organization of Scientific Research Journal of Mathematics*, Issue 6, 69-78.
- [57] Yadav, A.S. and Swami, A. (2019) An inventory model for non-instantaneous deteriorating items with variable holding cost under two-storage. *International Journal Procurement Management*, Volume 12 No 6, 690-710.

- [58] Yadav, A.S. and Swami, A. (2019) A Volume Flexible Two-Warehouse Model with Fluctuating Demand and Holding Cost under Inflation. *International Journal Procurement Management*, Volume 12 No 4, 441-456.
- [59] Yadav, A.S. and Swami, A. (2014) Two-Warehouse Inventory Model for Deteriorating Items with Ramp-Type Demand Rate and Inflation. *American Journal of Mathematics and Sciences* Volume 3 No-1, 137-144.
- [60] Yadav, A.S. and Swami, A. (2013) Effect of Permissible Delay on Two-Warehouse Inventory Model for Deteriorating items with Shortages. *International Journal of Application or Innovation in Engineering & Management*, Volume 2, Issue 3, 65-71.
- [61] Yadav, A.S. and Swami, A. (2013) A Two-Warehouse Inventory Model for Decaying Items with Exponential Demand and Variable Holding Cost. *International of Inventive Engineering and Sciences*, Volume-1, Issue-5, 18-22.
- [62] Yadav, A.S. and Kumar, S. (2017) Electronic Components Supply Chain Management for Warehouse with Environmental Collaboration & Neural Networks. *International Journal of Pure and Applied Mathematics*, Volume 117 No. 17, 169-177.
- [63] Yadav, A.S. (2017) Analysis of Seven Stages Supply Chain Management in Electronic Component Inventory Optimization for Warehouse with Economic Load Dispatch Using GA and PSO. *Asian Journal Of Mathematics And Computer Research*, volume 16 No.4, 208-219.
- [64] Yadav, A.S. (2017) Analysis Of Supply Chain Management In Inventory Optimization For Warehouse With Logistics Using Genetic Algorithm *International Journal of Control Theory And Applications*, Volume 10 No.10, 1-12 .
- [65] Yadav, A.S. (2017) Modeling and Analysis of Supply Chain Inventory Model with two-warehouses and Economic Load Dispatch Problem Using Genetic Algorithm. *International Journal of Engineering and Technology*, Volume 9 No 1, 33-44.
- [66] Swami, A., Singh, S.R., Pareek, S. and Yadav, A.S. (2015) Inventory policies for deteriorating item with stock dependent demand and variable holding costs under permissible delay in payment. *International Journal of Application or Innovation in Engineering & Management*, Volume 4, Issue 2, 89-99.
- [67] Swami, A., Pareek, S., Singh S.R. and Yadav, A.S. (2015) Inventory Model for Decaying Items with Multivariate Demand and Variable Holding cost under the facility of Trade-Credit. *International Journal of Computer Application*, 18-28.
- [68] Swami, A., Pareek, S., Singh, S.R. and Yadav, A.S. (2015) An Inventory Model With Price Sensitive Demand, Variable Holding Cost And Trade-Credit Under Inflation. *International Journal of Current Research*, Volume 7, Issue, 06, 17312-17321.
- [69] Gupta, K., Yadav, A.S., Garg, A. and Swami, A. (2015) A Binary Multi-Objective Genetic Algorithm & PSO involving Supply Chain Inventory Optimization with Shortages, inflation. *International Journal of Application or Innovation in Engineering & Management*, Volume 4, Issue 8, 37-44.

- [70] Gupta, K., Yadav, A.S., Garg, A., (2015) Fuzzy-Genetic Algorithm based inventory model for shortages and inflation under hybrid & PSO. IOSR Journal of Computer Engineering, Volume 17, Issue 5, Ver. I, 61-67.
- [71] Singh, R.K., Yadav, A.S. and Swami, A. (2016) A Two-Warehouse Model for Deteriorating Items with Holding Cost under Particle Swarm Optimization. International Journal of Advanced Engineering, Management and Science, Volume -2, Issue-6, 858-864.
- [72] Singh, R.K., Yadav, A.S. and Swami, A. (2016) A Two-Warehouse Model for Deteriorating Items with Holding Cost under Inflation and Soft Computing Techniques. International Journal of Advanced Engineering, Management and Science, Volume -2, Issue-6, 869-876.
- [73] Kumar, S., Yadav, A.S., Ahlawat, N. and Swami, A. (2019) Supply Chain Management of Alcoholic Beverage Industry Warehouse with Permissible Delay in Payments using Particle Swarm Optimization. International Journal for Research in Applied Science and Engineering Technology, Volume 7 Issue VIII, 504-509.
- [74] Kumar, S., Yadav, A.S., Ahlawat, N. and Swami, A. (2019) Green Supply Chain Inventory System of Cement Industry for Warehouse with Inflation using Particle Swarm Optimization. International Journal for Research in Applied Science and Engineering Technology, Volume 7 Issue VIII, 498-503.
- [75] Kumar, S., Yadav, A.S., Ahlawat, N. and Swami, A. (2019) Electronic Components Inventory Model for Deterioration Items with Distribution Centre using Genetic Algorithm. International Journal for Research in Applied Science and Engineering Technology, Volume 7 Issue VIII, 433-443.
- [76] Chauhan, N. and Yadav, A.S. (2020) An Inventory Model for Deteriorating Items with Two-Warehouse & Stock Dependent Demand using Genetic algorithm. International Journal of Advanced Science and Technology, Vol. 29, No. 5s, 1152-1162 .
- [77] Chauhan, N. and Yadav, A.S. (2020) Inventory System of Automobile for Stock Dependent Demand & Inflation with Two-Distribution Center Using Genetic Algorithm. Test Engraining & Management, Volume 83, Issue: March – April, 6583 – 6591.
- [78] Pandey, T., Yadav, A.S. and Medhavi Malik (2019) An Analysis Marble Industry Inventory Optimization Based on Genetic Algorithms and Particle swarm optimization. International Journal of Recent Technology and Engineering Volume-7, Issue-6S4, 369-373.
- [79] Ahlawat, N., Agarwal, S., Pandey, T., Yadav, A.S., Swami, A. (2020) White Wine Industry of Supply Chain Management for Warehouse using Neural Networks Test Engraining & Management, Volume 83, Issue: March – April, 11259 – 11266.
- [80] Singh, S. Yadav, A.S. and Swami, A. (2016) An Optimal Ordering Policy For Non-Instantaneous Deteriorating Items With Conditionally Permissible Delay In Payment Under Two Storage Management International Journal of Computer Applications, Volume 147 –No.1, 16-25.

Appendix A

$$= \alpha_{dc} \alpha_1 \left\{ \alpha_0 \left[\frac{1}{6}(t_\alpha + t_L)^3 - \left(\frac{\alpha_2}{4} + \frac{\alpha_4}{12} \right) (t_\alpha + t_L)^4 + \left(\frac{\alpha_1}{40} + \frac{\alpha_4 \alpha_2}{15} \right) (t_\alpha + t_L)^5 - \left(\frac{\alpha_4 \alpha_1}{36} - \frac{\alpha_2 \alpha_1}{24} \right) (t_\alpha + t_L)^6 \right] + \alpha_w \left[\frac{(t_\alpha + t_L)^2}{2} - \frac{\alpha_4 (t_\alpha + t_L)^3}{3} - \frac{\alpha_1 (t_\alpha + t_L)^4}{8} \right] + \alpha_0 e^{-(t_\alpha + t_L)(\alpha_2 + \alpha_4)} \left[\frac{(t_1 + t_L)^3}{6} - \frac{\alpha_4 (t_1 + t_L)^4}{12} + \frac{\alpha_1 (t_1 + t_L)^5}{40} - \frac{\alpha_4 \alpha_1 (t_1 + t_L)^6}{36} - \frac{(t_\alpha + t_L)^2}{6} (3(t_1 + t_L) - 2(t_\alpha + t_L)) - \frac{\alpha_1 (t_\alpha + t_L)^2}{60} (5(t_1 + t_L)^3 - 2(t_\alpha + t_L)^3) - \frac{\alpha_4 (t_\alpha + t_L)^3}{12} (4(t_1 + t_L) - 3(t_\alpha + t_L)) - \frac{\alpha_4 \alpha_1 (t_\alpha + t_L)^3}{36} (2(t_1 + t_L)^3 - (t_\alpha + t_L)^3) - \frac{\alpha_1 (t_\alpha + t_L)^4}{40} (5(t_1 + t_L) - 4(t_\alpha + t_L)) \right] \right\}$$

Appendix B

$$K(t_1+t_L) = \frac{1}{(T+t_L)} \left[\alpha_{oc} + \alpha_{hcov} \left[\alpha_w \left((t_\alpha+t_L) - \frac{\alpha_4(t_\alpha+t_L)^2}{2} - \frac{\alpha_1(t_\alpha+t_L)^3}{6} \right) + \alpha_o e^{-\alpha_2(t_\alpha+t_L)+\alpha_4} \left(\frac{(t_1+t_L)^2}{2} - \frac{\alpha_4(t_1+t_L)^3}{6} + \frac{\alpha_1(t_1+t_L)^4}{12} - \frac{\alpha_4\alpha_1(t_1+t_L)^5}{20} - \frac{(t_\alpha+t_L)^2}{2} (2(t_1+t_L) - (t_\alpha+t_L)) - \frac{\alpha_1(t_\alpha+t_L)}{24} (4(t_1+t_L)^3 - (t_\alpha+t_L)^3) + \frac{\alpha_4(t_\alpha+t_L)^2}{6} (3(t_1+t_L) - 2(t_\alpha+t_L)) + \frac{\alpha_4\alpha_1(t_\alpha+t_L)^2}{30} (5(t_1+t_L)^3 - 3(t_\alpha+t_L)^3) + \frac{\alpha_1\alpha_1(t_\alpha+t_L)^3}{24} (4(t_1+t_L) - 3(t_\alpha+t_L)) \right) \right] + \alpha_{hcrw}\alpha_o \left[\frac{(t_\alpha+t_L)^2}{2} - \frac{(3\alpha_2+\alpha_4)}{6} (t_\alpha+t_L)^3 + \left(\frac{\alpha_1}{12} + \frac{\alpha_2\alpha_4}{8} \right) (t_\alpha+t_L)^4 - \left(\frac{\alpha_4\alpha_1}{20} - \frac{\alpha_2\alpha_1}{30} \right) (t_\alpha+t_L)^5 \right] + \alpha_{dc}\alpha_1 \left[\alpha_o \left(\frac{1}{6} (t_\alpha+t_L)^3 - \left(\frac{\alpha_2}{4} + \frac{\alpha_4}{12} \right) (t_\alpha+t_L)^4 + \left(\frac{\alpha_1}{40} + \frac{\alpha_4\alpha_2}{15} \right) (t_\alpha+t_L)^5 - \left(\frac{\alpha_4\alpha_1}{36} - \frac{\alpha_2\alpha_1}{24} \right) (t_\alpha+t_L)^6 \right) + \alpha_w \left(\frac{(t_\alpha+t_L)^2}{2} - \frac{\alpha_4(t_\alpha+t_L)^3}{3} - \frac{\alpha_1(t_\alpha+t_L)^4}{8} \right) + \alpha_o e^{-(t_\alpha+t_L)(\alpha_2+\alpha_4)} \left(\frac{(t_1+t_L)^3}{6} - \frac{\alpha_4(t_1+t_L)^4}{12} + \frac{\alpha_1(t_1+t_L)^5}{40} - \frac{\alpha_4\alpha_1(t_1+t_L)^6}{36} - \frac{(t_\alpha+t_L)^2}{6} (3(t_1+t_L) - 2(t_\alpha+t_L)) - \frac{\alpha_1(t_\alpha+t_L)^2}{60} (5(t_1+t_L)^3 - 2(t_\alpha+t_L)^3) - \frac{\alpha_4(t_\alpha+t_L)^3}{12} (4(t_1+t_L) - 3(t_\alpha+t_L)) - \frac{\alpha_4\alpha_1(t_\alpha+t_L)^3}{36} (2(t_1+t_L)^3 - (t_\alpha+t_L)^3) - \frac{\alpha_1(t_\alpha+t_L)^4}{40} (5(t_1+t_L) - 4(t_\alpha+t_L)) \right) \right] \right]$$